

## REFERENCES

## REFERENCES

---

- Acquaah G (2007) Principles of plant genetics and breeding. Blackwell, Oxford, UK.
- Agrawal N, Dasaradhi PV, Mohammed A, Malhotra P, Bhatnagar RK, Mukherjee SK (2003) RNA interference: biology, mechanism, and applications. *Microbiol Mol Biol Rev* 67: 657–685
- Ahuja I, de Vos RCH, Bones AM, Hal RD (2010) Plant molecular stress responses face climate change. *Trends Plant Sci* 15: 1360-1385.
- Alva AK, Edwards DG, Asher CJ, Blamey FPC (1986) Relationships between root length of soybean and calculated activities of aluminium monomers in nutrient solution. *Soil Sci Soc Am J* 50: 959-962.
- Awan M, Abass M, Muzaffar A, Ali A, Tabassum B, Rao A, et al. (2015) Transformation of Insect and Herbicide Resistance Genes in Cotton (*Gossypium hirsutum* L.). *J Agric Sci Technol* 17: 275-285.
- Atkinson NJ, Urwin PE (2012) The interaction of plant biotic and abiotic stresses: from genes to the field. *J Exp Bot* 63: 3523–3543.
- Bast L, Warncke D, Christenson D (2011) Facts about soil acidity and lime. Michigan University, Extension Bulletin E-1566.
- Bose J, Babourina O, Shabala S, Rengel Z (2010) Aluminium-induced ion transport in *Arabidopsis*: the relationship between Al tolerance and root ion flux. *J of Exp Bot* 61: 3163–3175.
- Basu U, Good AG, Taylor GJ (2001) Transgenic *Brassica napus* plants over expressing aluminium-induced mitochondrial manganese superoxide dismutase cDNA are resistant to aluminium. *Plant Cell Environ* 24: 1269-1278.
- Barbosa AM, Real R, Vargas JM (2010) Use of coarse-resolution models of species' distributions to guide local conservation inferences. *Conserv Biol* 24:1378–87.

- Baulcombe D (2004) RNA silencing in plants. *Nature* 431: 356-363.
- Benková E, Hejátko J (2009) Hormone interactions at the root apical meristem. *Plant Mol Biol* 69: 383–396.
- Benedict, JH, Sachs ES, Altman DW, Ring DR, Stone TB, Sims SR (1993) Impact of dendotoxin induced transgenic cotton on insect plant interactions with *Heliothis virescens* and *Helicoverpa zea* (Lepidoptera : Noctuidae). *Environ Entomol* 22: 1–9.
- Benedict JH, Sachs ES, Altman DW, Deaton WR, Kohel RJ, Ring DR, Berberich SA (1995) Field performance of cottons expressing Cry 1A insecticidal proteins for resistance to impact of d-endotoxin – induced transgenic cotton on insect plant interactions with *Heliothus virescens* and *Helicoverpa zea* (Lepidoptera : Noctuidae). *J Econ Entomol.* 89: 320–238.
- Benedict JH, DW Altman (2001) Commercialization of transgenic cotton expressing insecticidal crystal protein. In J.J. Jenkins and S. Saha (ed.) *Genetic improvement of cotton: Emerging technologies*. Science Publ., Enfield, NH, 137-201.
- Bhatti IM, Jiskani MM (1995) Cotton leaf curl virus. *Monthly "Modern Agricultural Research", Agricultural Research Sindh, Hyderabad.* 3: 1–3.
- Blancaflor EB, Fasano JM, Gilroy S (1998) Mapping the functional roles of cap cells in the response of *Arabidopsis* primary roots to gravity. *Plant Physiol* 116:213–222.
- Blumwald E, Grover A, Good AG (2004) Breeding for Abiotic Stress Resistance: Challenges and Opportunities. “New direction for diverse planet”. *Proceedings of the 4<sup>th</sup> International Crop Science Congress, Brisbane, Australia.*
- Brown DC, Thorpe TA (1995) Crop improvement through tissue culture. *World J Microbiol Biotechnol* 11:409-15.
- Bruening G (1998) Plant gene silencing regularized. *Proc Natl Acad Sci U S A* 95: 13349–13351.

- Bouche N, Fromm H (2004) GABA in plants: just a metabolite? Trends Plant Sci 9: 110–115.
- Bustin SA, Benes V, Garson J, Hellems J, Huggett J, Kubista M, Mueller R, Nolan T, Pfaffl MW, Shipley GL, Vandesompele J, Wittwer CT (2009) The MIQE guidelines: minimum information for publication of quantitative real-time PCR experiments. Clin Chem 55: 611–622.
- Cai XM, Ringler C, You JY (2008) Substitution between water and other agricultural inputs: implications for water conservation in a river basin context. Ecol Econ 66: 38–50.
- Cakmak I and Horst JH (1991) Effects of Aluminum on Lipid Peroxidation, Superoxide Dismutase, Catalase, and Peroxidase Activities in Root Tips of Soybean (*Glycine max*). Physiol Plant 83: 463-468.
- Care DA (1995) The effect of aluminium concentration on root hairs in white clover (*Trifolium repens* L.). Plant Soil 171: 159–162.
- Carrière Y, Degain BA, Unnithan GC, Harpold VS, Heuberger S, Li X, Tabashnik BE (2018) Effects of seasonal changes in cotton plants on the evolution of resistance to pyramided cotton producing the Bt toxins Cry1Ac and Cry1F in *Helicoverpa zea*. Pest Manag Sci. 74: 627-637.
- Chen D, Richardson T, Chai S, McIntyre CL, Rae AL, Xue GP (2016) Drought-up-regulated TaNAC69-1 is a transcriptional repressor of *TaSHY2* and *TaIAA7*, and enhances root length and biomass in wheat. Plant Cell Physiol 57: 2076–2090.
- Chen PY, Wang CK, Soong SC, To KY (2003) Complete sequence of the binary vector pBI121 and its application in cloning T-DNA insertion from transgenic plants. Mol Breed 11: 287-293.
- Chen SY, Tang MT, Hu YY, Wang Y, et al (2018) *FaTT12-1*, a multidrug and toxin extrusion (MATE) member involved in proanthocyanidin transport in strawberry fruits. Scientia Horticulturae 231: 158-165.
- Clarkson DT (1965) The effect of aluminium and some other trivalent metal cations on cell division in the root apices of *Allium cepa*. Ann Bot 29: 309–315.

- Clough SJ, Bent AF (1998) Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. *The Plant J* 16: 735–743.
- Conn SJ, Hocking B, Dayod M, Xu B, Athman A, Henderson S, Aukett L, Conn V, Shearer MK, Fuentes S, Tyerman SD, Gilliam M (2013) Protocol: Optimising hydroponic growth systems for nutritional and physiological analysis of *Arabidopsis thaliana* and other plants. *Plant Methods* 9:4.
- Collins NC, Shirley NJ, Saeed M, Pallotta M, Gustafson JP (2008) An *ALMT1* gene cluster controlling aluminum tolerance at the *Alt4* locus of rye (*Secale cereale*L.). *Genetics* 179: 669-692.
- da Silva ALS, Sperling P, Horst W, *et al.* (2006) A possible role of sphingolipids in the aluminium resistance of yeast and maize. *J Plant Physiol* 163: 26-38.
- de la Fuente JM, Ramirez-Rodriguez V, Cabrera-Ponce JL, Herrera-Esterella L (1997) Aluminum tolerance in transgenic plants by alteration in citrate synthesis. *Science* 276: 1566–1568.
- Delhaize E, Ryan PR, Randall PJ (1993) Aluminum tolerance in wheat (*Triticum aestivum* L) Aluminum-stimulated excretion of malic-acid from root apices. *Plant Physiol* 103: 695-702.
- Delhaize E, Ryan PR, Hebb DM, Yamamoto Y, Sasaki T, Matsumoto H (2004) Engineering high-level aluminum tolerance in barley with the *ALMT1* gene. *Proc Natl Acad Sci U.S.A* 101: 15249-15254.
- Delhaize E, Gruber BD, Ryan PR (2007) The roles of organic anion permeases in aluminium resistance and mineral nutrition. *FEBS Lett* 581: 2255-2262.
- Delhaize E, Taylor P, Hocking PJ, Simpson RJ, Ryan PR, Richardson AE (2009) Transgenic barley (*Hordeum vulgare* L.) expressing the wheat aluminium resistance gene (*TaALMT1*) shows enhanced phosphorus nutrition and grain production when grown on an acid soil. *Plant Biotechnol J* 7: 391-400.
- Deng X, Phillips J, Brautigam A, Engstrom P, Johannesson H, Ouwerkerk PB, *et al.* (2006) A homeodomain leucine zipper gene from *Craterostigma*

- plantagineum* regulates abscisic acid responsive gene expression and physiological responses. *Plant Mol Biol* 61: 469-489.
- Driscoll CT (1984) A procedure for the fractionation of aqueous aluminum in dilute acidic water. *Int J Environ Anal Chem* 16: 267-284.
- Duncan RR (2000) Plant tolerance to acid soil constraints: genetic resources, breeding methodology, and plant improvement. In: Wilkinson R.E. (ed.), *Plant-Environment Interactions*, 2nd edn. Marcel Dekker, New York, pp. 1-38.
- Durrett TP, Gassmann W, Rogers EE (2007) The *FRD3*-mediated efflux of citrate into the root vasculature is necessary for efficient iron translocation. *Plant Physiol* 144: 197-205.
- Edwards K, Johnstone C, Thompson C (1991) A simple and rapid method for the preparation of plant genomic DNA for PCR analysis. *Nucl Acid Res* 19: 1349.
- Eid JE, Ueno H, Wang CC, Donelson JE (1988) Anti-parasitic effect of gossypol, *Exp Parasi*, 66: 140-142.
- Eticha D, Stass A, Horst WJ (2005) Cell-wall pectin and its degree of methylation in the maize root-apex: significance for genotypic differences in aluminium resistance. *Plant Cell Environ* 28: 1410-1420.
- Ezaki B, Gardner RC, Ezaki Y, Matsumoto H (2000) Expression of aluminium induced genes in transgenic Arabidopsis plants can ameliorate aluminium stress and/or oxidative stress. *Plant Physiol* 122: 657-665.
- Ezaki B, Katsuhara M, Kawamura M, Matsumoto H (2001) Different mechanisms of four aluminum (Al)-resistant transgenes for Al toxicity in Arabidopsis. *Plant Physiology* 127: 918-927.
- Fan W, Lou HQ, Gong YL, Liu MY, Wang ZQ, Yang JL, Zheng SJ (2014) Identification of early Al-responsive genes in rice bean (*Vigna umbellata*) roots provides new clues to molecular mechanisms of Al toxicity and tolerance. *Plant Cell Environ* 37: 1586-1597.

- Foy CD (1988) Plant Adaptation to Acid, Aluminum-Toxic Soils. *Commun Soil Sci Plant Anal* 19: 959-987.
- Furukawa J, Yamaji N, Wang H, Mitani N, Murata Y, Sato K, Katsuhara M, Takeda K, Ma JF (2007) An aluminum-activated citrate transporter in barley. *Plant Cell Physiol* 48: 1081–1091.
- Frangne N, Eggmann T, Koblischke C, Weissenböck G, Martinoia E, Klein M (2002) Flavone glucoside uptake into barley mesophyll and Arabidopsis cell culture vacuoles. Energization occurs by H<sup>p</sup>-antiport and ATP-binding cassette-type mechanisms. *Plant Physiol* 128: 726–733.
- Franks SJ (2011) Plasticity and evolution in drought avoidance and escape in the annual plant *Brassica rapa*. *New Phytol.* 190: 249–257.
- Fryxell PA (1992) A revised taxonomic interpretation of *Gossypium* L. (Malvaceae). *Rheedea* 2: 108–165.
- Gamborg OL, Miller RA, Ojima K (1968) Nutrient requirements of suspension cultures of soybean root cells. *Exp Cell Res* 50: 151-158.
- Ganesan M, Bhanumathi P, Kumari KG, Prabha AL, Song PS, Jayabalan N (2009) Transgenic Indian cotton (*Gossypium hirsutum*) harboring rice chitinase gene (Chi II) confers resistance to two fungal pathogens. *American J Biochem and Biotech* 5: 63-74.
- Ganesan M, Lee HY, Kim JI, Song PS (2017) Development of transgenic crops based on photo biotechnology. *Plant Cell Environ* 40: 2469 -2486.
- Gaspar T, Franck T, Bisbis B, Kevers C, Jouve L, Hausman JF, Dommes J (2002) Concepts in plant stress physiology. Application to plant tissue cultures. *Plant Growth Regul* 37: 263–285.
- Gasser CS, Robert TF (1989) Genetically engineering plants for crop improvement. Monsanto Company, 700 Chesterfield Village Parkway, St. Louis, MO 63198.
- Garcia-Oliveira AL, Benito C, Prieto P, Menezes RA, Rodrigues-Pousada C, Guedes-Pinto H, Martins-Lopes P (2013) Molecular characterization of

- TaSTOP1* homoeologues and their response to aluminium and proton (H<sup>+</sup>) toxicity in bread wheat (*Triticum aestivum* L.). *BMC Plant Biol*, 13: 134.
- Garvin DF, Carver BF (2003) Role of genotypes tolerant of acidity and aluminium toxicity. In Z Rengel, ed, *Handbook of Soil Acidity*. Marcel Dekker Inc, New York, pp 387–406.
- Ginocchio R, de la Fuente LM, Sanchez P, Bustamante E, Silva Y, Urrestarazu P, Rodriguez PH (2009) Soil acidification as a confounding factor on metal phytotoxicity in soils spiked with copper-rich mine wastes. *Environ Toxicol Chem* 28: 2069–2081.
- Green LS, Rogers EE (2004) FRD3 controls iron localization in Arabidopsis. *Plant Physiol* 136:2523–253.
- Gruber BD, Ryan PR, Richardson AE, Tyerman SD, Ramesh S, Hebb DM, Howitt SM, Delhaize E (2010) *HvALMT1* from barley is involved in the transport of organic anions. *J Exp Bot* 61:1455–1467.
- Guo JH, Liu XJ, Zhang Y, *et al.* (2010) Significant acidification in major Chinese crop lands. *Science* 327: 1008-1010.
- Guo HS, Xie Q, Fei JF, Chua NH (2005) MicroRNA directs mRNA cleavage of the transcription factor NAC1 to downregulate auxin signals for Arabidopsis lateral root development. *Plant Cell* 17: 1376–1386.
- Hampp R, Goller M, Füllgraf H (1984) Determination of compartmented metabolite pools by a combination of rapid fractionation of oat mesophyll protoplasts and enzymic cycling. *Plant Physiol* 75: 1017–1021.
- Hamilton A, Voinnet O, Chappell L, Baulcombe D (2002) Two classes of short interfering RNA in RNA silencing. *EMBO J* 21: 4671–4679.
- Haridasan M, Dearaujo GM (1988) Aluminium-accumulating species in 2 forest communities in the cerrado region of central Brazil. *For Ecol Manage* 24: 15-26.
- He H, Li Y, He LF (2019) Aluminum toxicity and tolerance in Solanaceae plants. *South African Journal of Botany* 123: 23-29.



- Hecht-Buchholz C, Foy C (1981) Effect of aluminium toxicity on root morphology of barley. *Plant Soil* 63: 93–95.
- Heleg-Shabtai V, Aizen R, Orbach R, Aleman-Garcia MA, Willner I (2015) Gossypol-cross-linked boronic acid-modified hydrogels: a functional matrix for the controlled release of an anticancer drug. *31*: 2237-42.
- Helliwell C, Waterhouse P (2003) Constructs and methods for high-throughput gene silencing in plants. *Methods* 30: 289–295.
- Hemphill JK, Maier CGA, Chapman KD (1998) Rapid *in-vitro* plant regeneration of cotton (*Gossypium hirsutum* L.). *Plant Cell Rep* 17: 273–275.
- Hendershot L, Wei J, Gaut J, Melnick J, Aviel S, Argon Y (1996) Inhibition of immunoglobulin folding and secretion by dominant negative BiP ATPase mutants. *Proc Natl Acad Sci U S A* 93: 5269–5274.
- Hirai S, Oka S, Adachi E, Kodama H (2007) The effects of spacer sequences on silencing efficiency of plant RNAi vectors. *Plant Cell Rep* 26: 651–659.
- Horst WJ, Wang YX, Eticha D (2010) The role of the root apoplast in aluminium induced inhibition of root elongation and in aluminium resistance of plants: a review. *Ann Bot* 106: 185-197.
- Horsch RB, Fry JE, Hoffman NL, Eichholtz D, Rogers SG, Fraley RT (1985) A simple and general method for transferring genes into plants. *Science* 227: 1229–1231.
- Hoekenga OA, Maron LG, Piñeros MA, Cançado GM, Shaff J, Kobayashi Y, *et al.* (2006) AtALMT1, which encodes a malate transporter, is identified as one of several genes critical for aluminum tolerance in Arabidopsis. *Proc Natl Acad Sci U S A* 103: 9738–9743.
- Hong CY, Huang JJ, Wo P (1989) Antifertility effect of gossypol, *Human Toxicol* 8: 49–51.
- Hu X, Das B, Hou H, He W, Yan R (2018) BACE1 deletion in the adult mouse reverses preformed amyloid deposition and improves cognitive functions. *J Exp Med* 215: 927-940.

- Huang JW, Shaff JE, Grunes DL, Kochian LV (1992) Aluminum effects on calcium fluxes at the root apex of aluminum-tolerant and aluminum-sensitive wheat cultivars. *Plant Physiol* 98: 230–237.
- Huang CF, Yamaji N, Mitani N, Yano M, Nagamura Y, Ma JF (2009) A bacterial type ABC transporter is involved in aluminum tolerance in rice. *Plant Cell* 21: 655-667.
- Huang GT, Ma SL, Bai LP, Zhang L, Ma H, Jia P, *et al.* (2012) Signal transduction during cold, salt, and drought stresses in plants. *Mol Biol Rep* 39: 969–987.
- Huang S, Gao J, You J, Liang Y, Guan K, Yan S, Zhan M, Yang Z (2018) Identification of STOP1-like proteins associated with aluminum tolerance in sweet Sorghum (*Sorghum bicolor* L.). *Front Plant Sci* 9: 258.
- Jaroszewski JW, Kaplan O, Cohen JS (1990) Antitumour effect of gossypol isolated from cotton plant, *Cancer Res* 50: 6934–6936.
- Jones DL, Kochian LV (1995) Aluminum inhibition of the inositol 1,4,5-Trisphosphate signal-transduction pathway in wheat roots - a role in aluminum toxicity. *Plant Cell* 7: 1913-1922.
- Jones DL, Blancaflor EB, Kochian L V, Gilroy S (2006) Spatial coordination of aluminium uptake, production of reactive oxygen species, callose production and wall rigidification in maize roots. *Plant Cell Environ* 29: 1309–1318.
- Jones MA, Raymond MJ, Smirnov N (2005) Analysis of the root-hair morphogenesis transcriptome reveals the molecular identity of six genes with roles in root-hair development in Arabidopsis. *The Plant J* 45: 83-100.
- Jung J, Mc Couch SR (2013) Getting to the roots of it: genetic and hormonal control of root architecture. *Front Plant Sci* 4: 186.
- Iuchi S, Koyama H, Iuchi A, Kobayashi Y, Kitabayashi S, Kobayashi Y, Ikka T, Hirayama T, Kobayashi M (2007) Zinc finger protein STOP1 is critical for proton tolerance in Arabidopsis and coregulates a key gene in aluminum tolerance. *Proc Natl Acad Sci U S A* 104: 9900–9905.

- Kasajima I, Ide Y, Ohkama-Ohtsu N, Yoneyama T, Fujiwara T (2004) A protocol for rapid DNA extraction from *Arabidopsis thaliana* for PCR analysis. *Plant Mol Biol Rep* 22: 49-52.
- Kato T, Berger SJ, Carter JA, Lowry OH (1973) An enzymatic cycling method for nicotianamide-adenine dinucleotide with malic and alcohol dehydrogenases. *Anal Biochem* 53: 86–97.
- Kerschen A, Napoli CA, Jorgensen RA, Muller AE (2004) Effectiveness of RNA interference in transgenic plants. *FEBS Lett* 566: 223–228.
- Kesawat MS, Das BK (2009) Molecular Markers: Its application in crop improvement. *J Crop Sci Biotech* 12: 168-178.
- Kielbowicz-Matuk A (2012) Involvement of plant C(2)H(2)-type zinc finger transcription factors in stress responses. *Plant Sci* 185-186: 78-85.
- Kinnersley AM, Turano FJ (2000) Gamma aminobutyric acid (GABA) and plant responses to stress. *Crit. Rev. Plant Sci* 19: 479–509.
- Kinraide TB, Ryan PR, Kochian LV (1992) Interactive effects of  $Al^{3+}$ ,  $H^+$ , and other cations on root elongation considered in terms of cell-surface electrical potential. *Plant Physiol* 99: 1461-1468.
- Kobayashi Y, Hoekenga OA, Itoh H, Nakashima M, Saito S, Shaff JE, Maron LG, Pineros MA, Kochian LV, Koyama H (2007) Characterization of *AtALMT1* expression in aluminum inducible malate release and its role for rhizotoxic stress tolerance in *Arabidopsis*. *Plant Physiol* 145: 843–852.
- Kochian LV (1995) Cellular mechanisms of aluminum toxicity and resistance in plants. *Annu Rev Plant Physiol Plant Mol Biol* 46: 237–260.
- Kochian LV, Hoekenga OA, Pineros MA (2004) How do crop plants tolerate acid soils? Mechanisms of aluminum tolerance and phosphorous efficiency. *Annu Rev Plant Biol* 55: 459–493.
- Kochian LV, Pineros MA, Hoekenga OA (2005) The physiology, genetics and molecular biology of plant aluminum resistance and toxicity. *Plant Soil* 274: 175–195.

- Kochian LV, Pineros MA, Liu J, Magalhaes JV (2015) Plant adaptation to acid soils: the molecular basis for crop aluminum resistance. *Annu Rev Plant Biol* 66: 571–598.
- Kollmeier M, Felle HH, Horst WJ (2000) Genotypical differences in aluminum resistance of maize are expressed in the distal part of the transition zone. Is reduced basipetal auxin flow involved in inhibition of root elongation by aluminum? *Plant Physiol* 122: 945–956.
- Kopittke PM, Moore KL, Lombi E, Gianoncelli A, Ferguson BJ, Blamey FPC, *et al.* (2015) Identification of the primary lesion of toxic aluminum (Al) in plant roots. *Plant Physiol* 167: 1402–1411.
- Kopittke PM, Blamey FPC (2016) Theoretical and experimental assessment of nutrient solution composition in short-term studies of aluminium rhizotoxicity. *Plant Soil* 406: 311–326.
- Koyama H, Toda T, Hara T (2001) Brief exposure to low-pH stress causes irreversible damage to the growing root in *Arabidopsis thaliana*: pectin–Ca interaction may play an important role in proton rhizotoxicity. *J Exp Bot* 52: 361–368.
- Kumar JR, Kumar BT (2009) Quantitative trait loci (QTL) mapping for crop improvement. *Research J Biotech* 4: 67-69.
- Kundu A, Das S, Basu S, Kobayashi Y, Kobayashi Y, Hiroyuki K, Ganesan M (2019) *GhSTOP1*, a C2H2 type zinc finger transcription factor is essential for Aluminum and proton stress tolerance and lateral root initiation in cotton. *Plant Biol J* 21: 35–44.
- Kwok P-Y, Carlson C, Yager T, Ankener W, Nickerson DA (1994) Comparative analysis of human DNA variations by fluorescence-based sequencing of PCR products. *Genom* 23: 138–144.
- Larsen PB, Geisler MJB, Jones CA, Williams KM, Cancel JD (2005) *ALS3* encodes a phloem-localized ABC transporter-like protein that is required for aluminum tolerance in *Arabidopsis*. *Plant J* 41: 353-363.

- Larsen PB, Cancel J, Rounds M, Ochoa V (2007) Arabidopsis ALS1 encodes a root tip and stele localized half type ABC transporter required for root growth in an aluminum toxic environment. *Planta* 225: 1447-58.
- Laufs P, Peaucelle A, Morin H, Traas J (2004) MicroRNA regulation of the CUC genes is required for boundary size control in Arabidopsis meristems. *Development* 131: 4311–4322.
- Lee JA (1984) Cotton as a world crop. In: Kohel RJ, Lewis CF (eds). *Cotton Agronomy onograph*, Madison, Wisconsin, ASA-CSSA-SSA 24: 1–25.
- Ligaba A, Katsuhara M, Ryan PR, Shibasaka M, Matsumoto H (2006) The *BnALMT1* and *BnALMT2* genes from rape encode aluminum-activated malate transporters that enhance the aluminum resistance of plant cells, *Plant Physiology* 142: 1294-1303.
- Lindsay WL (1979) *Chemical Equilibrium in Soils*. John Wiley & Sons, New York.
- Liu G, Gao S, Tian H, Wu W, Robert HS, Ding Z (2016) Local transcriptional control of YUCCA regulates auxin promoted root growth inhibition in response to aluminium stress in Arabidopsis. *PLoS Genet* 12: e1006360.
- Liu J, Jurandir V, Magalhaes JV, Shaff J, Kochian LV (2009) Aluminum-activated citrate and malate transporters from the MATE and ALMT families function independently to confer Arabidopsis aluminum tolerance. *Plant J* 57: 389–399.
- Liu J, Luo X, Shaff J, Liang C, Jia X, Li Z, Magalhaes J, Kochian LV (2012) A promoter-swap strategy between the *AtALMT* and *AtMATE* genes increased Arabidopsis aluminum resistance and improved carbon-use efficiency for aluminum resistance. *Plant J* 71: 327–337.
- Lopez-Charcas O, Herrera-Carrillo Z, Montiel-Reyes LE, Gomora JC (2016) Block of recombinant T-type Calcium channels by Gossypol, a potential contraceptive. *Bio Phy J*. 110: 440a.
- Lu P, Magwanga RO, Guo X, Kirungu JN, Lu H, Cai X, Zhou Z, Wei Y, Wang X, Zhang Z, Peng R, Wang K, Liu F (2018) Genome-Wide Analysis of Multidrug and Toxic Compound Extrusion (*MATE*) Family in *Gossypium*

- raimondii* and *Gossypium arboreum* and Its Expression Analysis Under Salt, Cadmium, and Drought Stress. *G3* (Bethesda) 8: 2483-2500.
- Luo MC, Dvorak J (1996) Molecular mapping of an aluminum tolerance locus on chromosome 4D of Chinese Spring wheat. *Euphytica* 91: 31-35.
- Ma JF, Nagao S, Sato K, Ito H, Furukawa J, Takeda K(2004) Molecular mapping of a gene responsible for Al-activated secretion of citrate in barley. *J Exp Bot* 55: 1335-1341.
- Ma JF (2000) Role of organic acids in detoxification of aluminum in higher plants. *Plant Cell Physiol* 41:383–390.
- Ma JF and Hiradate S(2000) Form of aluminium for uptake and translocation in buckwheat (*Fagopyrum esculentum* Moench). *Planta* 211: 355-360.
- Ma JF, Zhang W, Zhao Z (2001) Regulatory mechanisms of Al induced secretion of organic acids anions- Involvement of ABA in the Al induced secretion of oxalate in buckwheat. In: Hortst WJ, Flessa H, Sattelmacher B (Eds) *Plant Nutrition-Food Security and Sustainability of Agro-Ecosystems*, Dordrecht: Kluwer Academic,486–487.
- Ma JF, Zheng SJ, Matsumoto H (1997) Specific secretion of citric acid induced by Al stress in *Cassia tora* L. *Plant Cell Physiol* 38: 1019–1025.
- Ma JF, Ryan PR (2010) Understanding how plants cope with acid soils. *Funct Plant Biol* 37: 3-6.
- Mandel M and Higa A (1970) Calcium-dependent bacteriophage DNA infection. *J Mol Biol* 53: 159–162.
- Mandal N (1997) Nutritive values of tree leaves of some tropical species for goats. *Small Rumin Res* 24 : 95-105.
- Magalhaes JV, Liu J, Guimaraes CT, Lana UG, Alves VM, Wang YH, Schaffert RE, Hoekenga OA, Pineros MA, Shaff JE, Klein PE, Carneiro NP, Coelho CM, Trick HN, Kochian LV (2007) A gene in the multidrug and toxic compound extrusion (MATE) family confers aluminum tolerance in sorghum. *Nat Genetics* 39: 1156–1161.

- Maron LG, Pineros MA, Guimaraes CT, Magalhaes JV, Pleiman JK, Mao C, Shaff J, Belicuas SNJ, Kochian LV (2010) Two functionally distinct members of the MATE (multi drug and toxic compound extrusion) family of transporters potentially underlie two major aluminum tolerance QTLs in maize. *Plant J* 61: 728–740.
- Matsumoto H, Morimura S, Takahashi E (1977) Binding of aluminium to DNA in pea root nuclei. *Plant Cell Physiol* 18: 987–993.
- Matsumoto H (2000) Cell biology of aluminum toxicity and tolerance in higher plants. *International Review of Cytology- a Survey of Cell Biology* : 1-46.
- Matsumoto Y, Chen R, Anikeeva P, Jasanoff A (2015) Engineering intracellular biomineralization and biosensing by a magnetic protein. *Nat Commun* 6: 8721.
- Matsuyama N, Saigusa M, Sakaiya E, Tamakawa K, Oyamada Z, Kudo K (2005) Acidification and soil productivity of allophonic Andosols affected by heavy application of fertilizers. *Soil Sci Plant Nutr* 51: 117-123.
- Mathews H, Clendennen SK, Caldwell CG, Liu XL, Connors K, Matheis N, Schuster DK, Menasco DJ, Wagoner W, Lightner J, Wagner DR (2003) Activation tagging in tomato identifies a transcriptional regulator of anthocyanin biosynthesis, modification, and transport. *Plant Cell* 15: 1689–1703.
- Matzke M, Matzke AJM, Kooter JM (2001) RNA: guiding gene silencing. *Science* 293: 1080-1083.
- Meister G, Tuschl T (2004) Mechanisms of gene silencing by double-stranded RNA. *Nature* 431: 343-349.
- Miglani GS (2017) Genome editing in crop improvement: Present scenario and future prospects. *J. of Crop Improvement* 31: 453-559.
- Min X, Jin X, Liu W, Wei X, et al (2019) Transcriptome-wide characterization and functional analysis of MATE transporters in response to aluminum toxicity in *Medicago sativa* L. *Peer J; Bioinformatics and Genomics* <https://doi.org/10.7717/peerj.6302>

- Miyasaka SC, Buta JG, Howell RK, Foy CD (1991) Mechanism of aluminum tolerance in snap beans root exudation of citric-acid. *Plant Physiol* 96: 737–743.
- Miftahudin, Nurlaela, Juliarni (2007) Uptake and Distribution of Aluminum in Root Apices of Two Rice Varieties under Aluminum Stress. *HAYATI J Biosci* 3: 110-114.
- Morre JL, Hugo R, Maria PV, Cintia RM, Heisterborg CM, Vallejos RH (1998) Multiple shoot induction and plant regeneration from embryonic axes of cotton. *Plant Cell Tiss Org Cult* 54: 131 - 134.
- Moustaka-Gouni M, Kormas KA, Scotti M, Vardaka E, Sommer, U (2016) Warming and Acidification Effects on Planktonic Heterotrophic Pico- and Nanoflagellates in a Mesocosm Experiment. *Protist* 167: 389-410.
- Munns DN (1965) Soil acidity and growth of a legume .II. Reactions of aluminium and phosphate in solution and effects of aluminium phosphate calcium and pH on *Medica gossypifolia* L and *Trifolium subterraneum* L in solution culture. *Aust J Agric Res* 16: 743-755.
- Murashige T, Skoog F (1962) A revised medium for rapid growth and biosynthesis with tobacco tissue culture. *Physiol Plant* 15: 474 – 497.
- Muranaka T (2011) Plant gateway vectors for RNAi as a tool for functional genomic studies *Methods. Mol Biol* 744:27-35.
- Nakagawa T, Ishiguro S, Kimura T (2007) Gateway vectors for plant transformation. *Plant Biotechnol* 26: 275–284.
- Nagata T, Hayatsu M, Kosuge N (1992) Identification of aluminum forms in tea leaves by <sup>27</sup>Al NMR. *Phyto chem* 31: 1215–1218.
- Nida DL, Kolacz KH, Buehler RE, Deaton WR, Schuler, WR, Armstrong T, Taylor ML, Ebert CC, Rogan GJ, Padgett SR, Fuchs RL (1996) Glyphosate tolerant cotton: Characterization and protein expression, *Agric Food Chem* 44 : 1960 – 1966.



- Noble AD, Sumner ME, Alva AK (1988) Comparison of aluminon and 8-hydroxyquinoline methods in the presence of fluoride for assaying phytotoxic aluminum. *Soil Sci Soc Am J* 52: 1059–1063.
- Nordstrom DK 1982. The effect of sulphate on aluminum concentrations in natural waters: some stability relations in the system  $\text{Al}_2\text{O}_3\text{-SO}_3\text{-H}_2\text{O}$  at 298 K. *Geochim Cosmochim Acta* 46: 681-92.
- Nordstrom DK and Ball JW (1986) The geochemical behavior of aluminum in acidified surface waters. *Science*. 232: 54-56.
- Nordstrom DK and May HM (1996) Aqueous equilibrium data for mononuclear aluminum species. *The environmental chemistry of aluminum* 2: 39-80.
- Nuruzzaman M, Sharoni AM, Kikuchi S (2013) Roles of NAC transcription factors in the regulation of biotic and abiotic stress responses in plants. *Front Microbiol* 4: 248.
- Obiefuna JC, Ndubizu TOC (1979) Estimating leaf area of plantain. *Scientia Horticult* 11: 31–36.
- Pan Y, Dong Y, Ruixue W, Minsheng Y (2017) Generation of a promising universal RNAi vector system to control plant pest. *Acta Physiologiae Plantarum* 41:18.
- Pathi KM, Tuteja N (2013) High frequency regeneration via multiple shoot induction of an elite recalcitrant cotton (*Gossypium hirsutum* L. cv Narashima) by using embryo apex. *Plant Signal Behav* 8: 22763.
- Pathak K, Gogoi B (2016) RNA interference (RNAi): Application in crop improvement: A review. *Agricultural Reviews* 37: 245-249.
- Pereira JF, Zhou G, Delhaize E, Richardson T, Zhou M, Ryan PR (2010) Engineering greater aluminium resistance in wheat by over-expressing TaALMT1. *Ann Bot* 106: 205–214.
- Piñeros MA, Magalhaes JV, Alves VMC, Kochian LV (2002) The physiology and biophysics of an aluminum tolerance mechanism based on root citrate exudation in maize. *Plant Physiol* 129: 1194-1206.

- Piñeros MA, Cançado GM, Maron LG, Lyi SM, Menossi M, Kochian LV (2008) Not all ALMT1-type transporters mediate aluminum-activated organic acid responses: the case of *ZmALMT1*—an anion-selective transporter. *Plant J.* 53: 352–67.
- Poehlman JM, Borthakur D (1969) Breeding cotton. In: Breeding Asian field crops. Oxford and IBH publishing company New Delhi, pp 216 – 237.
- Polle E, Konzak CF, Kittrick JA (1978) Visual detection of aluminium tolerance levels in wheat by hematoxylin staining of seedling roots. *Crop Sci.* 18: 823-827.
- Perlak FJ, Fuchs RL, Dean DA, McPherson SL, Fischhoff DA (1991) Modification of the coding sequence enhances plant expression of insect control protein genes. *Proc Natl Acad Sci U S A* 88: 3324–3328.
- Ragauskas AJ, Williams CK, Davison BH, Britovsek G, Cairney J, Eckert CA, *et al.* (2006) The path forward for biofuels and biomaterials. *Science* 311: 484–489.
- Raman H, Zhang K, Cakir M, Appels R, Garvin DF, Maron LG, Kochian LV, Moroni JS, Raman R, Imtiaz M, *et al.* (2005) Molecular mapping and characterization of *ALMT1*, the aluminium-tolerance gene of bread wheat (*Triticum aestivum* L.). *Genome* 48: 781–791.
- Ramos FT, Marcel GCF, Marina NA, Roberto OPR, Everaldo Z (2012) Aluminum tolerance measured by root growth and mucilage protection in *Urochloa brizantha* and *Urochloa decumbens*. *J Plant Interact* 3: 225-229.
- Rangel AF, Mobin M, Rao IM, Horst WJ (2005) Proton toxicity interferes with the screening of common bean (*Phaseolus vulgaris* L.) genotypes for aluminium resistance in nutrient solution. *J Plant Nutr Soil Sci* 168: 607–616.
- Rashotte AM, DeLong A, Muday GK (2001) Genetic and chemical reductions in protein phosphatase activity alter auxin transport, gravity response, and lateral root growth. *Plant Cell* 13: 1683 –1697.
- Redillas MC, Jeong JS, Kim YS, Jung H, Bang SW, Choi YD, Ha SH, Reuzeau C, Kim JK (2012) The overexpression of *OsNAC9* alters the root

- architecture of rice plants enhancing drought resistance and grain yield under field conditions. *Plant Biotechnol J* 10: 792-805.
- Reide, CR, Anderson JA (1996) Linkage of RFLP markers to an Aluminum tolerance gene in wheat. *Crop Sci* 36: 905–909.
- Rechcigl JE, Sparks DL (1985) Effect of acid-rain on the soil environment – a review. *Commun Soil Sci Plant Anal* 16: 653-680.
- Ribeiro AP, deSouza WR, Martins PK, Vinecky F, Duarte KE, Basso MF, daCunha BADB, Campanha RB, deOliveira PA, Centeno DC, Cançado GMA, deMagalhaes JV, deSousa CAF, Andrade AC, Kobayashi AK, Molinari HBC (2017) Overexpression of *BdMATE* gene improves aluminum tolerance in *Setaria viridis*. *Front Plant Sci* 8: 1–12.
- Rincon M, Gonzales RA (1992) Aluminum partitioning in intact roots of aluminum-tolerant and aluminum-sensitive wheat (*Triticum aestivum* L) cultivars. *Plant Physiol* 99: 1021-1028.
- Rogers EE, Guerinot ML (2002) FRD3, a member of the multidrug and toxin efflux family, controls iron deficiency responses in *Arabidopsis*. *Plant Cell* 14: 1787-1799.
- Royer ER, Deek LM, Jag TJV, Martinez FJ, Mills RG, Young SA, Jagt DLV (1995) Anti HIV activity of Gossypol, *J Med Chem* 38: 2427-2432.
- Ryan PR, Ditomaso JM, Kochian LV (1993) Aluminum toxicity in roots – an investigation of spatial sensitivity and the role of the root cap. *J Exp Bot* 44: 437-446.
- Ryan PR, Delhaize E, Randall PJ (1995) Characterization of Al-stimulated efflux of malate from the apices of Al-tolerant wheat roots. *Planta* 196: 103-110.
- Ryan PR, Delhaize E, Jones, DL (2001) Function and mechanism of organic acid anion exudation from plant roots. *Annu Rev Plant Physiol Plant Mol Biol* 52: 527–560.
- Ryan PR, Liu Q, Sperling P, Dong B, Franke S, Delhaize E (2007) A higher plant Delta 8 sphingolipid desaturase with a preference for (Z)-isomer formation

- confers aluminum tolerance to yeast and plants. *Plant Physiol.* 144: 1968-1977.
- Ryan PR, Raman H, Gupta S, Horst WJ, Delhaize E (2009) A second mechanism for aluminum resistance in wheat relies on the constitutive efflux of citrate from roots. *Plant Physiol* 149: 340-351.
- Ryan PR, Tyerman SD, Sasaki T, Furuichi T, Yamamoto Y, Zhang WH, Delhaize E (2011) The identification of aluminium-resistance genes provides opportunities for enhancing crop production on acid soils. *J Exp Bot* 62: 9–20.
- Sade H, Meriga B, Surapu V, Gadi J, Sunita MSL, Suravajhala P, *et al.* (2016) Toxicity and tolerance of aluminium in plants: tailoring plants to suit to acid soils. *Biometals* 29: 187–210.
- Salvador-Moreno N, Ryan PR, Holguin I, Delhaize E, Benito C, Gallego FJ (2018) Transcriptional profiling of wheat and wheat-rye addition lines to identify candidate genes for aluminum tolerance. *Biol Planta* 4: 741-749.
- Sambrook J, Russel DW (2001) *Molecular Cloning, Third Edition*, Cold Spring Harbour Laboratory Press, New York.
- Sanjaya, Satyavathi VV, Prasad V, Kirthi N, Maiya SP, Savithri HS, Lakshmi Sita G (2005) Development of cotton transgenics with antisense AV2 gene for resistance against cotton leaf curl virus (CLCuD) via *Agrobacterium tumefaciens*. *Plant Cell Tissue Org Cult* 81: 55 – 63.
- Sasaki T, Yamamoto Y, Ezaki B, Katsuhara M, Ahn SJ, Ryan PR, Delhaize E, Matsumoto H (2004) A wheat gene encoding an aluminum-activated malate transporter. *Plant J* 37: 645–653.
- Sawaki Y, Iuchi S, Kobayashi Y, Kobayashi Y, Ikka T, Sakurai N, Fujita M, Shinozaki K, Shibata D, Kobayashi M (2009) STOP1 regulates multiple genes that protect *Arabidopsis* from proton and aluminum toxicities. *Plant Physiol* 150: 281–294.
- Sawaki Y, Kihara-Doi T, Kobayashi Y, Nishikubo N, Kawazu T, Kobayashi Y, Koyama H, Sato S (2013) Characterization of Al responsive citrate excretion

- and citrate transporting MATEs in *Eucalyptus camaldulensis*. *Planta* 237: 979–989.
- Sharma UC and Singh RP (2002) Acid soils of India: their distribution, management and future strategies for higher productivity. *Fertilizer News* 47: 45–52.
- Shavrukov Y, Hirai Y (2016) Good and bad protons: genetic aspects of acidity stress responses in plants. *J Exp Bot* 67: 15–30.
- Shao H, Wang H, Tang X (2015) NAC transcription factors in plant multiple abiotic stress responses: progress and prospects. *Front Plant Sci* 6: 902.
- Shen H, Ligaba A, Yamaguchi M, Osawa H, Shibata K, Yan X, Matsumoto H (2004) Effect of K-252a and abscisic acid on the efflux of citrate from soybean roots. *J Exp Bot* 55: 663–671.
- Sivaguru M, Horst WJ (1998) The distal part of the transition zone is the most aluminum-sensitive apical root zone of maize. *Plant Physiol.* 116: 155–163.
- Sivaguru M, Fujiwara T, Samaj J, Baluska F, Yang Z, Osawa H, Maeda T, Mori T, Volkman D, Matsumoto H (2000) Aluminum-induced 1→3-β-d-glucan inhibits cell-to-cell trafficking of molecules through plasmodesmata. A new mechanism of aluminum toxicity in plants. *Plant Physiol* 124: 991–1006.
- Song H, Xu X, Hua W, Wang H, Tao Y (2010) Exogenous γ-aminobutyric acid alleviates oxidative damage caused by aluminium and proton stresses on barley seedlings. *J Sci Food Agri* 90: 1410–1416.
- Smith K, Heimlich R (1999) *Cotton: Origin, History, Technology and production*. John Wiley & Sons, New York.
- Smith NA, Singh SP, Wang MB, Stoujesdijk PA, Green AG, Waterhouse PM (2000) Total silencing by intron-spliced hairpin RNAs *Nature* 407: 319-320.
- Snedecor GW, Cochran WG (1989) *Statistical methods*, 8th edn. Iowa State University Press, Ames.

- Stival da Silva AL, Sperling P, Horst WJ, Franke S, Ott C, Becker D, Staß A, Lörz H, Heinz E (2006) A possible role of sphingolipids in the aluminum resistance of yeast and maize. *J Plant Physiol* 163: 26–38.
- Tabuchi A, Matsumoto H (2001) Changes in cell-wall properties of wheat (*Triticum aestivum*) roots during aluminum-induced growth inhibition. *Plant Physiol* 112: 353-358.
- Takanashi K, Shitan N, Yazaki K (2014) The multidrug and toxic compound extrusion (MATE) family in plants. *Plant Biotechnol* 31: 417-430.
- Tamas L, Simonovicova M, Huttova J, Mistrik I (2003) Changes in the composition of cell wall proteins in barley roots during germination and growth in aluminium presence. *Plant Soil Environ* 49: 327–331.
- Tesfaye M, Temple SJ, Allan DL, Vance CP, Samac DA (2001) Overexpression of malate dehydrogenase in transgenic alfalfa enhances organic acid synthesis and confers tolerance to aluminum. *Plant Physiol* 127: 1836–1844.
- Tiwari M, Sharma D, Dwivedi S, Singh M, Tripathi RD, Trivedi PK (2014) Expression in Arabidopsis and cellular localization reveal involvement of rice NRAMP, *OsNRAMP1*, in arsenic transport and tolerance. *Plant Cell Environ* 37: 140-52.
- Tokizawa M, Kobayashi Y, Saito T, Kobayashi M, Iuchi S, Nomoto M, Tada Y, Yamamoto YY, Koyama H (2015) Sensitive to proton rhizotoxicity1, calmodulin binding transcription activator2, and other transcription factors are involved in aluminum-activated malate transporter1 expression. *Plant Physiol* 167: 991–1003.
- Tovkach A, Ryan, PR, Richardson AE, Lewis DC, Rathjen TM, Ramesh S, Tyerman SD, Delhaize E (2013) Transposon-mediated alteration of TaMATE1B expression in wheat confers constitutive citrate efflux from root apices. *Plant Physiol* 161: 880–892.
- Trejo-Tellez LI, Stenzel R, Gomez-Merino FC, Schmitt JM (2010) Transgenic tobacco plants overexpressing pyruvate phosphate dikinase increase

- exudation of organic acids and decrease accumulation of aluminum in the roots. *Plant Soil* 326: 187-198.
- Varshney RK, Tuberosa R (2013) *Translational Genomics for Crop Breeding, Volume I: Biotic Stress, First Edition*. John Wiley & Sons, Inc.
- Vanneste S, Friml J (2009) Auxin: a trigger for change in plant development. *Cell* 136:1005–1016.
- Vanbreemen N, Mulder J, Driscoll CT (1983) Acidification and alkalization of soils. *Plant Soil* 75: 283-308.
- von Uexkuell HR, Mutert E (1995) Global extent, development and economic impact of acid soils. *Plant Soil* 171: 1–15.
- Wang J, Hou Q, Li P, Yang L, Sun X, Benedito VA, Wen J, Chen B, Mysore KS, Zhao J (2017) Diverse functions of multidrug and toxin extrusion (MATE) transporters in citric acid efflux and metal homeostasis in *Medicago truncatula*. *Plant J* 90: 79–95.
- Watson JM, Fusaro AF, Wang M, Waterhouse PM (2005) RNA silencing platforms in plants. *FEBS Lett* 579: 5982–5987.
- Weil RR and Brady NC (2016) *The nature and properties of soil*. 15<sup>th</sup> edition Pearson.
- Wesley SV, Helliwell CA, Smith NA, Wang MB, Rouse DT, Liu Q, Gooding PS, Singh SP, Abbott D, Stoujesdijk PA, Robinson SP, Gleave AP, Green AG, Waterhouse PM (2001) Construct design for efficient, effective and high-throughput gene silencing in plants. *Plant J* 27: 581-590.
- Witcombe JR, Hollington PA, Howarth CJ, Reader S, Steele KA (2008) Breeding for abiotic stresses for sustainable agriculture. *Philosophical Transactions of the Royal Society B: Biological Sc* 363: 703-716.
- Wu D, Shen H, Yokawa K, Baluska F (2014) Alleviation of aluminium induced cell rigidity by overexpression of OsPIN2 in rice roots. *J Exp Bot* 65: 5305–5315.

- Xu J, Li HD, Chen LQ, Wang Y, Liu LL, He L, Wu WH (2006) A protein kinase, interacting with two calcineurin B-like proteins, regulates KC transporter AKT1 in Arabidopsis. *Cell* 125: 1347–1360.
- Yamaji N, Huang CF, Nagao S, Yano M, Sato Y, Nagamura Y, Ma JF (2009) A zinc finger transcription factor ART1 regulates multiple genes implicated in aluminum tolerance in rice. *Plant Cell* 21: 3339–3349.
- Yamamoto Y, Kobayashi Y, Matsumoto H (2001) Lipid peroxidation is an early symptom triggered by aluminum, but not the primary cause of elongation inhibition in pea roots. *Plant Physiol* 125: 199-208.
- Yang JL, Zheng SJ, He YF, Matsumoto H (2005) Aluminium resistance requires resistance to acid stress: a case study with spinach that exudes oxalate rapidly when exposed to Al stress. *J Exp Bot* 56:1197–1203.
- Yang XY, Yang JL, Zhou Y, Piñeros MA, Kochian LV, Li GX, Zheng SJ (2011) A de novo synthesis citrate transporter, *Vigna umbellata* multidrug and toxic compound extrusion, implicates in Al activated citrate efflux in rice bean (*Vigna umbellata*) root apex. *Plant Cell Environ* 34: 2138–2148.
- Yang ZB, Geng X, He C, Zhang F, Wang R, Horst, WJ, Ding Z (2014) TAA1-regulated local auxin biosynthesis in the root-apex transition zone mediates the aluminum-induced inhibition of root growth in Arabidopsis. *Plant Cell* 26: 2889–2904.
- Yazaki K (2005) Transporters of secondary metabolites. *Curr Opin Plant Biol* 8: 301–307.
- Yin LN, Wang SW, Eltayeb AE, *et al.* (2010) Overexpression of dehydro ascorbate reductase, but not monodehydro ascorbate reductase, confers tolerance to aluminum stress in transgenic tobacco. *Planta* 231: 609-621.
- Yokosho K, Yamaji N, Ma JF (2010) Isolation and characterisation of two MATE genes in rye. *Funct Plant Biol* 37: 296–303.
- Yokosho K, Yamaji N, Ma JF (2011) An Al-inducible MATE gene is involved in external detoxification of Al in rice. *Plant J* 69: 1061–1069.



- Yokosho K, Yamaji N, Ueno D, Mitani N, Ma JF (2009) OsFRDL1 is a citrate transporter required for efficient translocation of iron in rice. *Plant Physiol* 149: 297–305.
- York AC (1997) Crop protection III: weeds. New herbicides will help growers remain competitive, *Proc Beltwide cottonProd Res Conf*, 15 – 16.
- Yu Y, Jin C, Sun C, Wang J, Ye Y, Zhou W, Lu L, Lin X (2016) Inhibition of ethylene production by putrescine alleviates aluminium-induced root inhibition in wheat plants. *Sci Rep* 6: 18888.
- Zhang Z, Li Q, Li Z, Staswick PE, Wang M, Zhu Y, He Z (2007) Dual regulation role of GH3.5 in salicylic acid and auxin signaling during *Arabidopsis*-*Pseudomonas syringae* interaction. *Plant Physiol.* 145: 450– 464.
- Zhang DY, Tong JF, He XL, Xu ZL, Xu L, Wei PP, Huang Y, Brestic M, Ma H, Shao H (2016) A novel soybean intrinsic protein gene, GmTIP2;3, involved in responding to osmotic stress. *Front Plant Sci* 6:1237.
- Zhao ZQ, Ma JF, Sato K, Takeda K (2003) Differential Al resistance and citrate secretion in barley (*Hordeum vulgare* L.). *Planta* 217: 794-800.
- Zhao CR, Ikka T, Sawaki Y, Kobayashi Y, Suzuki Y, Hibino T, Sato S, Sakurai N, Shibata D, Koyama H (2009) Comparative transcriptomic characterization of aluminum, sodium chloride, cadmium and copper rhizotoxicities in *Arabidopsis thaliana*. *BMC Plant Biol* 9: 32-192.
- Zheng SJ, Ma JF, Matsumoto H (1998) High aluminum resistance in buckwheat. I. Al induced specific secretion of oxalic acid from root tips. *Plant Physiol* 117: 745–751.
- Zhu YN, Shi DQ, Ruan MB, Zhang LL, Meng ZH, Liu J, et al. (2013) Transcriptome Analysis Reveals Crosstalk of Responsive Genes to Multiple Abiotic Stresses in Cotton (*Gossypium hirsutum* L.). *Plos One.* 8: e80218.